

ER, EDR


Installation Instructions

BEZEL	HEIGHT	CUT OUT
ER EyeLine Tilt & Rotate	84/107mm	Ø102mm
EDR EyeLine Detail Tilt & Rotate	102/125mm	Ø102mm

3 STEPS TO INSTALL

1. Cut a hole in your ceiling as per the "cut out" size above (also found on the label on the back of your luminaire - if unsure, please refer to our website or contact the Orluna team on our helpline below) and plaster the fitting into the ceiling;
2. Wire the luminaire cable into the Orluna certified driver, taking care to ensure polarity. Red should be connected to the positive terminal (+) and black to the negative terminal (-);
3. Connect the driver to the mains supply, paying close attention to our "hot wire" warning.

Note: For optimum performance, Ø250mm should be left free of insulation around the fitting.



*Low void option available to give a unit height of:

- ER unit height 70/93mm
- EDR unit height 88/111mm

0-10V and DALI may require extra void space
Ø102mm cutout

ER, EDR

Installation Instructions

Dear Contractor


Thank you for purchasing Orluna luminaires. We've engaged our expert focus to make this specification grade product fully contractor-friendly. On the reverse of this page, you'll find cutout sizes and installation instructions.

We also guarantee dimming compatibility on all major protocols and control systems. If you have any questions, please contact our dimming specialist on +44(0)1923 889 714.

PRODUCT CODE

Using this, you can identify exactly which luminaire you are installing, including the engine, bezel, colour temperature, beam angle, driver, bezel colour, baffle colour, and any bespoke options, which include:

- Fire rating using an Orluna patented FirePlate
- IP rating (IP44 as standard, IP65 available)
- Low Profile (reduces void height requirement by 14mm*)



CEILING CUTOUT DIMENSION

LED REEL NUMBER (Batch Identification)

* Note that the void height requirement is for all non-dimmable and mains dimmable luminaires. DALI, 0-10V and emergency luminaires may require additional void height.